

**THE ANTIBACTERIAL EFFECT OF TURMERIC
EXTRACT ON GRAM-NEGATIVE BACTERIA
ISOLATED FROM ELEVATOR BUTTON**

RAIHANA ABDUL RAHMAN

**Final Year Project Submitted in
Partial Fulfillment of the Requirements for the
Degree of Bachelor of Science (Hons.) Biology
In the Faculty of Applied Sciences
University Teknologi MARA**

JULY 2017

This Final Year Project Report entitled **“The Antibacterial Effect Of Turmeric Extract On Gram-Negative Bacteria Isolated From Elevator Button”** was submitted by Raihana Binti Abdul Rahman, in partial fulfillment of the requirements for the Degree of Bachelor of Science (Hons.) Biology, in the Faculty of Applied Sciences, and was approved by

Siti Norazura Binti Jamal
Supervisor
Faculty of Applied Sciences
UiTM Negeri Sembilan
Kampus Kuala Pilah
Pekan Parit Tinggi
72000, Kuala Pilah
Negeri Sembilan

Lili Syahani binti Rusli
Project Coordinator
Faculty of Applied Sciences
UiTM Negeri Sembilan
Kampus Kuala Pilah
Pekan Parit Tinggi
72000 Kuala Pilah
Negeri Sembilan

Dr.Nor'aishah binti Abu Shah
Head of Biology School
Faculty of Applied Sciences
UiTM Negeri Sembilan
Kampus Kuala Pilah
Pekan Parit Tinggi
72000 Kuala Pilah
Negeri Sembilan

Date: _____

TABLE OF CONTENTS

	PAGE
ACKNOWLEDGEMENTS	iii
TABLE OF CONTENTS	iv
LIST OF TABLES	vi
LIST OF FIGURES	vii
LIST OF ABBREVIATIONS	viii
ABSTRACT	ix
ABSTRAK	x
CHAPTER 1: INTRODUCTION	1
1.1 Background Study	1
1.2 Problem Statement	3
1.3 Significance of the Study	4
1.4 Objectives of the Study	5
CHAPTER 2: LITERATURE REVIEW	6
2.1 Study Site	6
2.2 Turmeric (<i>Curcuma longa</i>)	6
2.3 Antimicrobial Activity	8
2.4 Antimicrobial Assay	9
2.4.1 Agar disk diffusion method	9
2.4.2 Dilution method	10
2.5 Type of Gram-Negative Bacteria	10
2.5.1 <i>Escherichia coli</i> (<i>E.coli</i>)	11
2.5.2 <i>Salmonella enterica</i> (<i>S. enterica</i>)	11
2.5.3 <i>Klebsiella pneumoniae</i> (<i>K. pneumoniae</i>)	12
CHAPTER 3: METHODOLOGY	13
3.1 Materials	13
3.1.1 Raw materials	13
3.1.2 Test microorganisms	13
3.1.3 Chemicals	13
3.1.4 Media	13
3.1.5 Apparatus	14
3.2 Methods	14
3.2.1 Collection of specimens	14
3.2.2 Preparation of turmeric plant extract	15
3.2.3 Antimicrobial susceptibility test	16

CHAPTER 4: RESULTS AND DISCUSSION	17
4.1 Growth on Eosine Methylene Blue agar (EMB)	17
4.2 Gram staining of pathogenic bacteria	19
4.3 IMViC Test	21
4.4 Disc Diffusion Method	24
 CHAPTER 5: CONCLUSIONS AND RECOMMENDATIONS	 31
 CITED REFERENCES	 33
APPENDICES	36
CURRICULUM VITAE	38

ABSTRACT

THE ANTIBACTERIAL EFFECT OF TURMERIC EXTRACT ON GRAM-NEGATIVE BACTERIA ISOLATED FROM ELEVATOR BUTTON

Gram-negative bacteria become more reliable on antibiotic-resistant bacterial disease. Spread of infectious disease need a concern to control the microorganisms at different surface of environment. Essential accessories of social life like elevator button could be an exposed area that easily lead to infection of bacteria towards the community. Regarding to the way of prevention towards the microorganisms by orally or indirectly, there need a sanitizer to wash hand and this hand washing will come from natural resource. Turmeric and its polyphenolic compound curcumin used extensively in traditional and low side effects. The aims of this research were to identify potential Gram-negative at elevator button and determined the antibacterial effect of turmeric towards the Gram-negative bacteria. The result of this study showed Gram-negative bacteria isolated were *Escherichia coli* and *Klebsiella pneumonia*. The identification of this Gram-negative bacteria was proven by biochemical test which were IMViC test, growth on Eosin Methylene Blue (EMB) agar and gram staining method. For antibacterial effect of turmeric, disc diffusion method was used towards the Gram-negative bacteria which were *E.coli* and *K.pneumoniae*. The antibacterial activity of turmeric extract were examined in this study and were found that the extract cannot perform antibacterial effect against the Gram-negative bacteria due to turmeric extract that had been prepared earlier does not used immediately cause the curcumin contain lost as the optimum potential of curcumin was limit by quick metabolism. Furthermore, other reason because of diacetylcurcumin that not display any antibacterial effect against tested bacteria. Positive control used was tetracycline show zone of inhibition while no inhibition zone by negative control which was ethanol.